


GERBER
XLc7000 CUTTER




Technical Specifications:

| Characteristics | | |
|---|---------------------------------------|---------------------------|
| Fabric height (compressed) | 7,2 cm | 2.83 in. |
| Cutting speed (maximum) | 30,5 m/min | 1200 in./min. |
| Throughput - average (depending on application) | 8 m/min | 315 in./min. |
| Head acceleration (maximum) | 2,4 m/s ² | 1/4 g |
| Table weight | 4511 kg | 9947 lb. |
| Table heights - available | 80, 86, 91 cm | 31.5, 34, 35.8 in. |
| Power | | |
| Control Power | 3-wire 200V-240V, 1PH, 50/60 Hz, 20 A | |
| Table Vacuum | 380/440V, 3 PH, 50/60 Hz, 80 A | |
| Average Energy Consumption | 17 KWh to 20 KWh for 3 PH system | |
| Compressed Air Consumption | 85 liters/min @ 6,8 bar | 3 SCFM @ 100 PSI |
| Operation Environment | | |
| Temperature (maximum) | 43°C | 110°F |
| Humidity (maximum) | 80% (non-condensing) | |
| Vacuum System | up to 760 m above sea level | 2,500 ft. above sea level |
| Noise | 80 dBA | |

Cut Data File Specifications Supported

- Interface to open standard data formats produced by most CAD products.
- Gerber AccuMark® native marker data.



AccuMark is a registered trademark of Gerber Technology LLC.

© 2019 Gerber Technology LLC. All rights reserved.

Gerber Technology
24 Industrial Park Road West
Tolland, CT 06084

TOLL FREE (USA)
800.826.3243

TELEPHONE (International)
+1.860.871.8082

www.gerbertechnology.com

Form No. 03132019